

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		magnetic with impedance with with two with dimensional with sens\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:08
		S1 and same compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:27
L1	3	"200242382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:00
L2	0	"2002-42382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
L3	3	2002-042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
L4	1556	magnetic with impedance with sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:07
L5	232	magnetic with impedance with sens\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:08
L6	2	magnetic with impedance with two with dimensional with sens\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:10

L7	1	2002JP-0042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09
L8	0	2002-0042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09
L9	2	"20020042382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09
L10	246	electronic adj compass.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:14
L11	1	10 and magnetic adj impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:11
L12	2	"2003167037"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:13
L13	2	"2001318131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:13
S1	470062	magnetic adj impedance or MI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32

S2	536	S1 same compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32
S3	87	S2 same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:33
S4	837	magnetic adj impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:07
S5	4	S4 same compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32
S6	2	"2003329748"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:34
S7	1	("6831457").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/19 08:37
S8	0	"2002042382"	US-PGPUB; USPAT	OR	ON	2005/09/19 15:59
S9	4	"2002042382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:40
S10	1225	electronic adj compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:41
S11	11	S10 and mi adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"200242382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:00
L2	0	"2002-42382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
L3	3	2002-042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
L4	1556	magnetic with impedance with sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:07
L5	232	magnetic with impedance with sens\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:08
L6	2	magnetic with impedance with two with dimensional with sens\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:10
L7	1	2002JP-0042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09
L8	0	2002-0042382	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09

L9	2	"20020042382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:09
L10	246	electronic adj compass.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:15
L11	1	10 and magnetic adj impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:11
L12	2	"2003167037"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:13
L13	2	"2001318131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:13
L14	234	electronic adj compass.ti.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:15
S1	470062	magnetic adj impedance or MI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32
S2	536	S1 same compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32
S3	87	S2 same switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:33

S4	837	magnetic adj impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:07
S5	4	S4 same compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:32
S6	2	"2003329748"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:34
S7	1	("6831457").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/19 08:37
S8	0	"2002042382"	US-PGPUB; USPAT	OR	ON	2005/09/19 15:59
S9	4	"2002042382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:40
S10	1225	electronic adj compass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:41
S11	11	S10 and mi adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 08:41